

Table E.2 Elements and measurements used to calculate "ageable NISP," by stratigraphic level for Oglodax'. See Chapter 4 for stratigraphic details.

	Oglodax', Level 6			Oglodax', Level 5		
	? unknown	? female	? male	? unknown	? female	? male
<b>mandible</b>	-	-	-	-	-	-
isolated canine	-	-	-	-	-	-
shortlength	-	-	-	-	1	-
posterior 3 alveoli	-	-	-	-	-	-
mindep	-	-	-	-	-	-
width at mindep	-	-	-	-	-	-
condyle width	-	-	-	-	-	-
condyle thickness	-	-	-	-	-	-
<b>humerus</b>	-	-	-	-	-	-
midline length	-	-	-	-	-	-
total length	3	-	-	3	-	-
proximal width	-	-	-	-	-	-
proximal breadth	-	-	-	-	-	-
distal width	-	-	-	-	-	-
min. distal thickness	-	-	-	-	-	-
max. distal thickness	-	-	-	-	-	-
<b>calcaneus</b>	-	-	-	-	-	-
length	-	-	-	1	-	-
width	-	-	-	-	-	-
height	-	-	-	-	-	-
<b>pelvis</b>	-	-	1	-	-	1
ileum length	-	-	-	2	-	-
ileum height	-	-	-	-	-	-
ileum neck height (fused/unfused)	-	-	-	-	-	-
pubis length	-	-	-	-	-	-
pubis height	-	-	-	-	-	-
<b>femur</b>	-	-	-	-	1	-
midline length	-	-	-	-	-	-
total length	-	-	-	2	-	-
proximal width	-	-	-	-	-	-
min. proximal thickness	-	-	-	-	-	-
max. proximal thickness	-	-	-	-	-	-
midshaft width (fused/unfused)	-	-	-	-	-	-
midshaft thickness (fused/unfused)	-	-	-	-	-	-
distal width	-	-	-	-	-	-
distal thickness	-	-	-	-	-	-
<b>tibia</b>	-	-	-	-	-	-
midline length	-	-	-	-	-	-
total length	1	-	-	2	-	-
proximal width	-	-	-	-	-	-
min. proximal thickness	-	-	-	-	-	-
max. proximal thickness	-	-	-	-	-	-
min. midshaft (fused/unfused)	-	-	-	-	-	-
max. midshaft (fused/unfused)	-	-	-	-	-	-
distal width	-	-	-	-	-	-
distal thickness	-	-	-	-	-	-
<b>fibula</b>	-	-	-	-	-	-
total length	-	-	-	-	-	-
proximal width	-	-	-	-	-	-
proximal thickness	-	-	-	-	-	-
distal width	-	-	-	-	-	-

Table E.2 Elements and measurements used to calculate "ageable NISP," by stratigraphic level for Oglodax'. See Chapter 4 for stratigraphic details.

	Oglodax', Level 6			Oglodax', Level 5		
	? unknown	? female	? male	? unknown	? female	? male
distal thickness	1	-	-	-	-	-
diagonal distal width	-	-	-	-	-	-

Table E.2 Elements and measurements used to calculate "ageable NISP," by stratigraphic level for Oglodax'. See Chapter 4 for stratigraphic details.

	Oglodax', Level 6			Oglodax', Level 5		
	? unknown	? female	? male	? unknown	? female	? male
<b>astragalus</b>	-	-	-	-	-	-
length	-	-	-	-	-	-
width	-	-	-	-	-	-
height	-	-	-	1	-	-
<b>1st metatarsal</b>	-	-	-	-	-	-
total length	-	-	-	-	-	-
proximal width	-	-	-	-	-	-
proximal height	-	-	-	-	-	-
<b>1st phalanx, 1st digit (foot)</b>	-	-	-	-	-	-
total length	-	-	-	-	-	-
proximal width	-	-	-	-	-	1
proximal height	-	-	-	-	-	-
<b>scapula</b>	-	-	-	-	-	-
height (glenoid not ossified)	1	-	-	-	-	-
width	-	-	-	-	-	-
neck height	-	-	-	-	-	-
glenoid height	-	-	-	-	-	-
glenoid width	1	-	-	1	-	-
<b>radius</b>	-	-	-	-	-	-
total length	1	-	-	1	-	-
proximal height	-	-	-	-	-	-
proximal width	-	-	-	-	-	-
distal height	-	-	-	-	-	-
distal width	-	-	-	-	-	-
<b>ulna</b>	-	-	-	-	-	-
total length	4	-	-	-	-	-
proximal height	-	-	-	-	-	-
proximal width	1	-	-	-	-	-
midshaft thickness (fused/unfused)	-	-	-	-	-	-
midshaft height (fused/unfused)	-	-	-	-	-	-
distal height	-	-	-	-	-	-
distal width	-	-	-	-	-	-
<b>1st metacarpal</b>	-	-	-	-	-	-
total length	-	-	-	-	-	-
proximal width	-	-	-	-	-	-
proximal height	-	-	-	-	-	-
<b>1st phalanx, 1st digit (hand)</b>	-	-	-	-	-	-
total length	-	-	-	-	-	-
proximal width	-	-	-	-	-	-
proximal height	-	-	-	-	-	-
<b>baculum</b>	-	-	-	-	-	-
length	-	-	-	-	-	-
proximal height	-	-	-	-	-	-
proximal width	-	-	-	-	-	-
distal height	-	-	-	-	-	-
distal width	-	-	-	-	-	-
<b>sub-total</b>	13	0	1	13	2	2
<b>TOTAL</b>		14			17	

Table E.2 Elements and measurements used to calculate "ageable NISP," by stratigraphic level for Oglodax'. See Chapter 4 for stratigraphic details.

	Oglodax', Level 4			Oglodax', Level 3		
	? unknown	? female	? male	? unknown	? female	? male
<b>mandible</b>	-	-	-	-	-	-
isolated canine	-	-	-	-	-	-
shortlength	1	1	-	-	1	2
posterior 3 alveoli	-	-	-	-	-	-
mindep	-	-	-	-	-	-
width at mindep	-	-	-	-	-	-
condyle width	-	-	-	-	-	-
condyle thickness	-	-	-	-	-	-
<b>humerus</b>	-	1	-	-	-	-
midline length	-	-	-	-	-	-
total length	3	-	-	1	-	2
proximal width	-	-	-	-	-	-
proximal breadth	-	-	-	-	-	-
distal width	-	-	-	1	-	-
min. distal thickness	-	-	-	-	-	-
max. distal thickness	-	-	-	-	-	-
<b>calcaneus</b>	-	-	-	-	-	-
length	1	-	-	-	-	-
width	-	-	-	-	-	-
height	-	-	-	-	-	-
<b>pelvis</b>	-	1	-	-	-	-
ileum length	-	-	-	1	-	-
ileum height	-	-	-	-	-	-
ileum neck height (fused/unfused)	-	-	-	-	-	-
pubis length	-	-	-	1	-	1
pubis height	-	-	-	-	-	-
<b>femur</b>	-	-	-	-	-	-
midline length	-	-	-	-	-	-
total length	2	-	1	-	-	-
proximal width	-	-	-	1	-	-
min. proximal thickness	-	-	-	-	-	-
max. proximal thickness	-	-	-	-	-	-
midshaft width (fused/unfused)	-	-	-	-	-	-
midshaft thickness (fused/unfused)	-	-	-	-	-	-
distal width	-	-	-	-	-	-
distal thickness	-	-	-	-	-	-
<b>tibia</b>	-	-	-	-	-	-
midline length	-	-	-	-	-	-
total length	2	-	-	-	-	-
proximal width	-	-	-	-	-	-
min. proximal thickness	-	-	-	-	-	-
max. proximal thickness	-	-	-	-	-	-
min. midshaft (fused/unfused)	1	-	-	-	-	-
max. midshaft (fused/unfused)	-	-	-	-	-	-
distal width	-	-	-	-	-	-
distal thickness	-	-	-	-	-	-
<b>fibula</b>	-	1	-	-	-	-
total length	-	-	-	-	-	-
proximal width	-	-	-	-	-	-
proximal thickness	-	-	-	-	-	-
distal width	-	-	-	-	-	-

Table E.2 Elements and measurements used to calculate "ageable NISP," by stratigraphic level for Oglodax'. See Chapter 4 for stratigraphic details.

	Oglodax', Level 4			Oglodax', Level 3		
	? unknown	? female	? male	? unknown	? female	? male
distal thickness	-	-	-	-	-	-
diagonal distal width	-	-	-	-	-	-

Table E.2 Elements and measurements used to calculate "ageable NISP," by stratigraphic level for Oglodax'. See Chapter 4 for stratigraphic details.

	Oglodax', Level 4			Oglodax', Level 3		
	? unknown	? female	? male	? unknown	? female	? male
<b>astragalus</b>	-	-	-	-	-	-
length	-	-	-	-	-	-
width	-	-	-	-	-	-
height	1	-	-	-	-	-
<b>1st metatarsal</b>	-	-	-	-	-	-
total length	-	-	-	1	-	-
proximal width	-	-	-	-	-	-
proximal height	-	-	-	-	-	-
<b>1st phalanx, 1st digit (foot)</b>	-	-	-	-	-	-
total length	-	-	-	-	-	-
proximal width	-	-	-	-	-	-
proximal height	-	-	-	-	-	-
<b>scapula</b>	-	-	-	-	-	-
height (glenoid not ossified)	-	-	-	6	-	-
width	-	-	-	-	-	-
neck height	-	-	-	-	-	-
glenoid height	-	-	-	-	-	-
glenoid width	1	-	-	-	-	-
<b>radius</b>	-	-	-	-	-	-
total length	2	-	-	2	-	-
proximal height	-	-	-	-	-	-
proximal width	-	-	-	-	-	-
distal height	-	-	-	-	-	-
distal width	1	-	-	-	-	-
<b>ulna</b>	-	-	-	-	-	-
total length	2	-	-	1	-	-
proximal height	-	-	-	-	-	-
proximal width	-	-	-	-	-	-
midshaft thickness (fused/unfused)	-	-	-	-	-	-
midshaft height (fused/unfused)	-	-	-	1	-	-
distal height	-	-	-	-	-	-
distal width	-	-	-	-	-	-
<b>1st metacarpal</b>	-	-	-	-	-	-
total length	-	-	-	-	-	-
proximal width	-	-	-	-	-	-
proximal height	-	-	-	-	-	-
<b>1st phalanx, 1st digit (hand)</b>	-	-	-	-	-	-
total length	1	-	-	-	-	-
proximal width	-	-	-	-	-	-
proximal height	-	-	-	-	-	-
<b>baculum</b>	-	-	-	-	-	-
length	-	-	-	-	-	-
proximal height	-	-	-	-	-	-
proximal width	-	-	-	-	-	-
distal height	-	-	-	-	-	-
distal width	-	-	-	-	-	-
<b>sub-total</b>	18	4	1	16	1	5
<b>TOTAL</b>		23			22	

Table E.2 Elements and measurements used to calculate "ageable NISP," by stratigraphic level for Oglodax'. See Chapter 4 for stratigraphic details.

	Oglodax', Level 2			Oglodax', Level 1		
	? unknown	? female	? male	? unknown	? female	? male
<b>mandible</b>	-	-	-	-	-	-
isolated canine	-	-	-	-	-	-
shortlength	-	1	3	1	4	4
posterior 3 alveoli	-	-	-	-	2	-
mindep	-	-	-	-	-	-
width at mindep	-	-	-	-	-	-
condyle width	-	-	-	-	-	-
condyle thickness	-	-	-	-	-	-
<b>humerus</b>	-	-	-	-	-	1
midline length	-	-	-	-	-	-
total length	7	-	-	3	-	-
proximal width	-	-	-	-	-	-
proximal breadth	-	-	-	-	-	-
distal width	-	-	-	-	-	-
min. distal thickness	-	-	-	-	-	-
max. distal thickness	-	-	-	-	-	-
<b>calcaneus</b>	-	-	-	-	-	-
length	1	-	-	-	-	-
width	-	-	-	-	-	-
height	-	-	-	-	-	-
<b>pelvis</b>	-	-	-	-	-	-
ileum length	1	-	-	-	-	-
ileum height	-	-	-	-	-	-
ileum neck height (fused/unfused)	-	-	-	-	-	-
pubis length	1	-	-	-	-	-
pubis height	-	-	-	-	-	-
<b>femur</b>	-	-	-	-	-	-
midline length	-	-	-	-	-	-
total length	2	-	-	1	-	-
proximal width	-	-	-	-	-	-
min. proximal thickness	-	-	-	-	-	-
max. proximal thickness	-	-	-	-	-	-
midshaft width (fused/unfused)	-	-	-	-	-	-
midshaft thickness (fused/unfused)	-	-	-	-	-	-
distal width	-	-	-	-	-	-
distal thickness	-	-	-	-	-	-
<b>tibia</b>	-	-	-	-	-	-
midline length	-	-	-	-	-	-
total length	6	-	-	-	-	-
proximal width	-	-	-	-	-	-
min. proximal thickness	-	-	-	-	-	-
max. proximal thickness	-	-	-	-	-	-
min. midshaft (fused/unfused)	-	-	-	1	-	-
max. midshaft (fused/unfused)	-	-	-	-	-	-
distal width	-	-	-	-	-	-
distal thickness	-	-	-	-	-	-
<b>fibula</b>	-	-	-	-	-	-
total length	2	-	-	2	-	-
proximal width	1	-	-	1	-	-
proximal thickness	-	-	-	-	-	-
distal width	-	-	-	-	-	-

Table E.2 Elements and measurements used to calculate "ageable NISP," by stratigraphic level for Oglodax'. See Chapter 4 for stratigraphic details.

	Oglodax', Level 2			Oglodax', Level 1		
	? unknown	? female	? male	? unknown	? female	? male
distal thickness	2	-	-	-	-	-
diagonal distal width	-	-	-	-	-	-

Table E.2 Elements and measurements used to calculate "ageable NISP," by stratigraphic level for Oglodax'. See Chapter 4 for stratigraphic details.

	Oglodax', Level 2			Oglodax', Level 1		
	? unknown	? female	? male	? unknown	? female	? male
<b>astragalus</b>	-	-	-	-	-	-
length	-	-	-	-	-	-
width	-	-	-	-	-	-
height	1	-	-	-	-	-
<b>1st metatarsal</b>	-	-	-	-	-	-
total length	-	-	-	1	-	-
proximal width	-	-	-	-	-	-
proximal height	-	-	-	-	-	-
<b>1st phalanx, 1st digit (foot)</b>	-	-	-	-	-	-
total length	-	-	-	-	-	-
proximal width	-	-	-	-	-	-
proximal height	-	-	-	-	-	-
<b>scapula</b>	-	-	-	-	1	-
height (glenoid not ossified)	5	-	-	4	-	-
width	-	-	-	-	-	-
neck height	1	-	-	-	-	-
glenoid height	-	-	-	-	-	-
glenoid width	-	-	-	2	-	-
<b>radius</b>	-	-	-	-	-	-
total length	4	-	-	2	-	-
proximal height	-	-	-	-	-	-
proximal width	-	-	-	-	-	-
distal height	-	-	-	-	-	-
distal width	-	-	-	-	-	-
<b>ulna</b>	-	-	-	-	-	-
total length	3	-	1	1	-	-
proximal height	-	-	-	-	-	-
proximal width	1	-	-	-	-	-
midshaft thickness (fused/unfused)	-	-	-	-	-	-
midshaft height (fused/unfused)	-	-	-	2	-	-
distal height	-	-	-	-	-	-
distal width	1	-	-	-	-	-
<b>1st metacarpal</b>	-	-	-	-	-	-
total length	-	-	-	-	-	-
proximal width	-	-	-	-	-	-
proximal height	-	-	-	-	-	-
<b>1st phalanx, 1st digit (hand)</b>	-	-	-	-	-	-
total length	1	-	-	1	-	-
proximal width	-	-	-	-	-	-
proximal height	-	-	-	-	-	-
<b>baculum</b>	-	-	-	-	-	-
length	-	-	-	-	-	-
proximal height	-	-	-	-	-	-
proximal width	-	-	-	-	-	-
distal height	-	-	-	-	-	-
distal width	-	-	-	-	-	-
<b>sub-total</b>	40	1	4	22	7	5
<b>TOTAL</b>		45			34	

Table E.2 Elements and measurements used to calculate "ageable NISP," by stratigraphic level for Oglodax'. See Chapter 4 for stratigraphic details.

	Oglodax', Sod Level		
	? unknown	? female	? male
<b>mandible</b>	-	-	-
isolated canine	-	-	-
shortlength	-	2	-
posterior 3 alveoli	-	-	-
mindep	-	-	-
width at mindep	-	-	-
condyle width	-	-	-
condyle thickness	-	-	-
<b>humerus</b>	-	-	-
midline length	-	-	-
total length	5	-	-
proximal width	-	-	-
proximal breadth	-	-	-
distal width	-	-	-
min. distal thickness	-	-	-
max. distal thickness	-	-	-
<b>calcaneus</b>	-	-	-
length	-	-	-
width	-	-	-
height	-	-	-
<b>pelvis</b>	-	1	-
ileum length	1	-	-
ileum height	-	-	-
ileum neck height (fused/unfused)	-	-	-
pubis length	1	-	-
pubis height	-	-	-
<b>femur</b>	-	-	-
midline length	-	-	-
total length	-	-	-
proximal width	-	-	-
min. proximal thickness	-	-	-
max. proximal thickness	-	-	-
midshaft width (fused/unfused)	-	-	-
midshaft thickness (fused/unfused)	-	-	-
distal width	-	-	-
distal thickness	-	-	-
<b>tibia</b>	-	-	-
midline length	-	-	-
total length	1	-	-
proximal width	-	-	-
min. proximal thickness	-	-	-
max. proximal thickness	-	-	-
min. midshaft (fused/unfused)	-	-	-
max. midshaft (fused/unfused)	-	-	-
distal width	-	-	-
distal thickness	-	-	-
<b>fibula</b>	-	-	-
total length	-	-	-
proximal width	-	-	-
proximal thickness	-	-	-
distal width	-	-	-

Table E.2 Elements and measurements used to calculate "ageable NISP," by stratigraphic level for Oglodax'. See Chapter 4 for stratigraphic details.

	Oglodax', Sod Level		
	? unknown	? female	? male
distal thickness	-	-	-
diagonal distal width	-	-	-

Table E.2 Elements and measurements used to calculate "ageable NISP," by stratigraphic level for Oglodax'. See Chapter 4 for stratigraphic details.

	Oglodax', Sod Level		
	? unknown	? female	? male
<b>astragalus</b>	-	-	-
length	-	-	-
width	-	-	-
height	-	-	-
<b>1st metatarsal</b>	-	-	-
total length	1	-	-
proximal width	-	-	-
proximal height	-	-	-
<b>1st phalanx, 1st digit (foot)</b>	-	-	-
total length	-	-	-
proximal width	-	-	-
proximal height	-	-	-
<b>scapula</b>	-	-	-
height (glenoid not ossified)	3	-	-
width	-	-	-
neck height	-	-	-
glenoid height	-	-	-
glenoid width	-	-	-
<b>radius</b>	-	-	-
total length	-	-	-
proximal height	-	-	-
proximal width	-	-	-
distal height	-	-	-
distal width	-	-	-
<b>ulna</b>	-	-	-
total length	-	-	-
proximal height	-	-	-
proximal width	1	-	-
midshaft thickness (fused/unfused)	-	-	-
midshaft height (fused/unfused)	-	-	-
distal height	-	-	-
distal width	1	-	-
<b>1st metacarpal</b>	-	-	-
total length	-	-	-
proximal width	-	-	-
proximal height	-	-	-
<b>1st phalanx, 1st digit (hand)</b>	-	-	-
total length	-	-	-
proximal width	-	-	-
proximal height	-	-	-
<b>baculum</b>	-	-	-
length	-	-	-
proximal height	-	-	-
proximal width	-	-	-
distal height	-	-	-
distal width	-	-	-
<b>sub-total</b>	14	3	0
<b>TOTAL</b>		17	