

Table E5. Mandible measurements used to calculate "ageable NISP," by stratigraphic level for Ozette. See Chapter 4 for stratigraphic details.

	Ozette, VI and VII			Ozette, H1 & VXM			Ozette, H5 & VtVII		
	? unknown	? female	? male	? unknown	? female	? male	? unknown	? female	? male
mandible	-	4	-	3	20	-	-	6	-
shortlength	-	6	8	13	183	204	4	38	67
posterior 3 alveoli	-	2	4	3	76	82	-	30	19
mindep	-	-	-	-	-	-	-	-	-
width at mindep	-	-	-	-	-	-	-	-	-
condyle width	-	-	-	14	7	5	2	1	2
condyle thickness	-	-	-	-	-	-	-	-	-
sub-total	0	12	12	33	286	291	6	75	88
TOTAL		24			610			169	

Table E5. Mandible measurements used to calculate "ageable NISP," by stratigraphic level for Ozette. See Chapter 4 for stratigraphic details.

	Ozette, H3 & VtVI			Ozette, H2 & VtV			Ozette, Level IV		
	? unknown	? female	? male	? unknown	? female	? male	? unknown	? female	? male
mandible	-	4	-	-	6	-	-	4	-
shortlength	5	50	47	4	58	77	3	34	46
posterior 3 alveoli	1	25	23	-	15	21	-	25	17
mindep	-	-	-	-	-	-	-	-	-
width at mindep	-	-	-	-	-	-	-	-	-
condyle width	3	6	-	3	1	-	3	2	3
condyle thickness	-	-	-	-	-	-	-	-	-
sub-total	9	85	70	7	80	98	6	65	66
TOTAL	164			185			137		

Table E5. Mandible measurements used to calculate "ageable NISP," by stratigraphic level for Ozette. See Chapter 4 for stratigraphic details.

	Ozette, Levels I-III		
	? unknown	? female	? male
mandible	-	2	-
shortlength	-	22	16
posterior 3 alveoli	-	4	5
mindep	-	-	-
width at mindep	-	-	-
condyle width	-	-	-
condyle thickness	-	-	-
sub-total	0	28	21
TOTAL		49	